

Government of India
Department of Atomic Energy
Raja Ramanna Centre for Advanced Technology

PO : CAT
Indore - 452 013

Ref. No.: 14/05/2020-GAC/2613

April 23, 2021

Subject: Preventive measures to contain spread of Novel Coronavirus
(COVID- 19)


In view of second wave of COVID-19 pandemic and imposition of **Janata Curfew** till 30th April, 2021. Staff of C&SD engaged in essential services like water supply management, fire pump house, electrical power supply and hygiene related important works only will be attending the office. Therefore, most essential and unavoidable maintenance works viz., no power, no water; sewage choking etc. only will be attended during this period.

Garbage will not be collected from individual houses due to shortage of staff. Arrangement will be made to collect the garbage from houses through tractor. All occupants are requested to dump the garbage in the tractor trolley.

Due to receipt of less water from Narmada Control room since past few days and likelihood of scarcity of water for few more days, all the residents of RRCAT Colony are requested to use the water judiciously. Curtailment of water supply will be applicable to technical area and Guesthouse complex also.

Concerted efforts are on to get requisite water from Narmada Control room so as to restore water supply to the normal.

All are requested to please note this.


23/4/2021
(S. D. Meena)

Administrative Officer-III
& Estate Officer

Mail All .